$AD_{\underline{}}$			
	(Leave	blank)	

Award Number: DOD Award W81XWH-09-2-0065

TITLE: Trial of Naltrexone and Dextromethorphan for Gulf War Veterans Illnesses

PRINCIPAL INVESTIGATOR:
William J. Meggs, MD, PhD
Kori L. Brewer, PhD
Allison Mainhart, BS

CONTRACTING ORGANIZATION: East Carolina University Greenville, NC 27834

REPORT DATE: July 2011

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: (Check one)

Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

data needed, and completing a	and reviewing this collection of i	nformation. Send comments rega	arding this burden estimate or any	y other aspect of this col	ning existing data sources, gathering and maintaining the lection of information, including suggestions for reducing
4302. Respondents should be	aware that notwithstanding any		n shall be subject to any penalty f		rson Davis Highway, Suite 1204, Arlington, VA 22202- a collection of information if it does not display a currently
1. REPORT DATE		2. REPORT TYPE	XE33.	3. D	ATES COVERED
1 July 2011		Annual			ul 2010 – 30 Jun 2011
4. TITLE AND SUBTIT	LE			5a. 0	CONTRACT NUMBER
Trial of Naltrexone and Dextromethorphan for Gulf War V			eterans' Illness		GRANT NUMBER 1XWH-09-2-0065
				5c. I	PROGRAM ELEMENT NUMBER
6. AUTHOR(S)				5d. l	PROJECT NUMBER
William J. Meggs, M.D., Ph.D.; Kori L. Brewer, Ph.D.; Alli			son Mainhart	5e	TASK NUMBER
E-Mail: meggsw@	Decu.edu			5f. V	VORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) East Carolina University Greenville, NC 27834					ERFORMING ORGANIZATION REPORT UMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			S(ES)	10. \$	SPONSOR/MONITOR'S ACRONYM(S)
Tore Bouron, Mary	and 21762 6612				SPONSOR/MONITOR'S REPORT NUMBER(S)
	VAILABILITY STATE ic Release; Distribu			<u> </u>	
13. SUPPLEMENTAR	Y NOTES				
after TWO years of became immediate years ago, was too then obtained to u War Illness could of the arm that they of	If rewriting and revi- ely obvious that the o strict in excluding se a modified Kan- enter either the nali- qualify for. The first	sing. Immediately the exclusion criteria of those with a list of his sas case definition, arexone or dextrome subject was enrolled.	nereafter, we began f the Kansas case d nealth problems tha and enrollment bega thorphan arm but no	to screen paticefinition of Gultare distinct from the distinct from the distinct from the distinct from the difficulties to the difficulties	s finally obtained in February 2011, ents to participate in the study. It f War Illness, while appropriate 20 om Gulf War Illness. Approval was me obvious that many with Gulf e applying to allow subjects to enters in locating subjects, we are
15. SUBJECT TERMS Gulf War Illness, n	altrexone, detrome	thorphan			
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (include area
U	U	U	UU	6	code)

REPORT DOCUMENTATION PAGE

Form Approved

OMB No. 0704-0188

Table of Contents

	<u>Page</u>
Introduction	5
Body	6
Key Research Accomplishments	7
Reportable Outcomes	7
Conclusion	7
References	7
Appendices	7

INTRODUCTION

Gulf war veterans' illnesses comprise distinct clusters of symptom-defined illnesses (1,2) for which there are neither diagnostic tests nor effective treatments. Gulf war veterans had variable exposures to a number of chemicals (3), including organophosphate insecticides, pyrethrum-related insecticides, DEET, Pyridostimine bromide, smoke from oil well fires, and Sarin gas. Gulf war veterans' illnesses may reflect an inflammatory cycle involving the brain which may be a common mechanism of many neurological conditions, whether initiated by toxic exposures, infection, or trauma. In this theory, central nervous system inflammation initiated by toxic exposures and sometimes exacerbated by subsequent exposures is a component of illness hypothesized to explain the neurological manifestations. Substance P release at sensory nerve endings is an explanation for the peripheral pain manifestations of illness.

This theory suggests that novel anti-inflammatory drugs may be of benefit in symptom-defined illnesses related to a cycle of inflammation. Dr. J. S. Hong's laboratory at the National Institute of Environmental Health Sciences has demonstrated that Morphine-related analogs, including Naltrexone and Dextromethorphan, have great potency in anti-inflammation and neuroprotective effects. Naltrexone is a safe and readily available generic medication. Dextromethorphan is also a safe and readily available generic medication that is available without a prescription as a cough medication. Results from several clinical trials showed that Naltrexone is effective in several inflammation-related diseases, such as neurogenic pain, movement disorders, etc. In addition, there were no obvious side effects in patients taking this drug for six months. This project is a randomized double-blinded studies for treating ill Gulf war veterans with Naltrexone and Dextromethorphan. Laboratory tests for markers of inflammation including neurogenic inflammation will be performed pre- and post-treatment, to see if these markers are elevated and if so, to see if treatment modulates these markers.

BODY

The major accomplishment of the past year was obtaining approval from the Department of Defense Institutional Review Board (DOD IRB) to begin the study. While this may not seem a significant accomplishment, obtaining this approval proved to be a virtually impossible task. It took two years. During this two year period, the DOD IRB would takes months to review the protocol, then present the investigators with a long and complex Protocol Review Form, requesting a large number of revisions, additions, and deletions. After the objections were met and the protocol was revised, there would be another long period of review followed by requests for more revisions, additions, and deletions. With each revision, approval for the changes had to be obtained from the East Carolina University Institutional Review Board (ECU IRB) and the United Stated Food and Drug Administration (US FDA) because the study drug dextromethorphan required and IND number. In February of 2011, approval to begin the study was given. For the two year period, no salary support or other resources were charged to the grant so that, should approval finally be obtained, resources would be available to conduct the study.

After final approval was obtained, subjects were recruited. It immediately became obvious that the Kansas Case Definition of Gulf War Illness was much too restrictive. Formulated shortly after the Gulf War, the definition excluded almost all co-morbidities such as diabetes because these might confound a case definition of Gulf War Illness. In the interim, it has become clear that Gulf War Illness is a distinct entity and is well defined by the inclusion criteria of the case definition, so that subjects would be eligible for inclusion even if they had other health problems. In the 20 years since the Gulf War, many veterans with Gulf War Illness have developed other medical conditions but might still be helped by the study interventions. Approval was obtained to relax the exclusion criteria. The first subject was finally enrolled toward the end of this annual reporting period, and other subjects continue to be screened.

Another problem that arose was that many victims of Gulf War Illness are taking medications that exclude them from participating. For example, many of the veterans screened are on chronic opioid therapy for the widespread chronic pain which means that they cannot take naltrexone, which is an opioid antagonist, but can take dextromethorphan. Others are on serotonerigic agents for a variety of indications, which have drug interactions with dextromethorphan but not naltrexone. In order to get the numbers needed, these need to be enrolled in the study for either naltrexone or dextromethorphan. A simple addition to the protocol was proposed: Subjects who are excluded from taking naltrexone but not dextromethorphan will be enrolled in the dextromethorphan arm, and subjects who are excluded from taking dextromethorphan but not naltrexone will be enrolled in the naltrexone arm. This was rejected by the DOD IRB which is requiring a full rewrite and review in order to enroll these subjects.

Given the high rate of exclusion among screened veterans, it is obvious that a wider net must be cast in order to screen enough veterans to capture those who can be enrolled. To this end, we are seeking access to the Data Request System of the Department of Defense Manpower Database. Enrollment has proven to be a much greater challenge than we anticipated.

KEY RESEARCH ACCOMPLISHMENTS

The most significant accomplishment during the past year was finally obtaining DOD IRB approval to begin the research. A number of subjects have been screened for participation, and the first subject has been enrolled. Due to the difficult regulatory hurdles, the study is just now finally getting underway.

REPORTABLE COMES

To have reportable outcomes, a number of subjects must complete the 11 month protocol. This has not occurred to date.

CONCLUSIONS

It is very difficult to get regulatory approval to conduct research, a two or more years must be allowed for this task.

REFERENCES

- 1. Haley RW, Hom J. Is there a Gulf War Syndrome? Searching for syndromes by factor analysis of symptoms. JAMA. 1997;277:215-22. Erratum in: JAMA 1997 Aug 6;278(5):388.
- 2. Haley RW, Hom J, Roland PS, Bryan WW, Van Ness PC, Bonte FJ, Devous MD Sr, Mathews D, Fleckenstein JL, Wians FH Jr, Wolfe GI, Kurt TL. Evaluation of neurologic function in Gulf War veterans. A blinded case-control study. JAMA. 1997;277:223-30.
- 3. Haley RW, Kurt TL. Self-reported exposure to neurotoxic chemical combinations in the Gulf War. A cross-sectional epidemiologic study. JAMA. 1997:15;277:231-7.